


Condition : FCC PART 15 3m HORIZONTAL  
 EUT/Model : RFM02B-434  
 Job No. :  
 Test Mode :


Frequency MHz	Cable Loss dB	Antenna Factor dB/m	Preamplifier Factor dB	Read Level dBuV	level dBuV/m	Limit Line dBuV/m	Over Limit dB
433.985	16.59	2.35	0.00	65.49	84.42	80.00	4.42
867.962	22.85	3.48	0.00	18.69	45.01	60.00	-14.99



Condition : FCC PART 15      3m    VERTICAL  
 EUT/Model : RFM02B-434  
 Job No. :  
 Test Mode :


Frequency MHz	Cable Loss dB	Antenna Factor dB/m	Preamplifier Factor dB	Read Level dBuV	level dBuV/m	Limit Line dBuV/m	Over Limit dB
433.985	16.59	2.35	0.00	77.75	96.68	80.00	16.68
867.962	22.85	3.48	0.00	29.84	56.16	60.00	-3.84

Data:  
Level (dBuV/m)



Condition : FCC PART15 (>1G) PK    3m    HORIZONTAL  
 EUT/Model : RFM02B-434  
 Job No. :  
 Test Mode :

Frequency MHz	Cable Loss dB	Antenna Factor dB/m	Preamplifier Factor dB	Read Level dBuV	level dBuV/m	Limit Line dBuV/m	Over Limit dB
------------------	------------------	------------------------	---------------------------	--------------------	-----------------	----------------------	------------------



Condition : FCC PART15 (>1G) PK    3m    VERTICAL  
 EUT/Model : RFM02B-434  
 Job No. :  
 Test Mode :

Frequency	Cable Loss	Antenna Factor	Preamp Factor	Read Level	level	Limit	Over Limit
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB